

> [ACS Appl Mater Interfaces](#). 2012 Oct 24;4(10):5472-82. doi: 10.1021/am301373n.
Epub 2012 Oct 1.

Graphene oxide-based hydrogels to make metal nanoparticle-containing reduced graphene oxide-based functional hybrid hydrogels

Bimalendu Adhikari ¹, Abhijit Biswas, Arindam Banerjee

Affiliations + expand

PMID: 22970805 DOI: [10.1021/am301373n](#)

Full text links

Cite

Abstract

In this study, stable supramolecular hydrogels have been obtained from the assembly of graphene oxide (GO) in presence of polyamines including tris(aminoethyl)amine, spermine, and spermidine [biologically active molecule]. One of these hydrogels has been well characterized by various techniques including field-emission scanning electron microscopy (FE-SEM), transmission electron microscopy (TEM), atomic force microscopy (AFM), X-ray diffraction (XRD) study, and Raman spectroscopy. TEM and AFM studies of one of these hydrogels have revealed the presence of a network structure of cross-linked nanosheets. This suggests the supramolecular assembly of GO in the presence of polyamines using the acid-base type electrostatic interaction. In presence of a mild reducing agent (vitamin C), one of these GO hydrogels has been transformed into a reduced graphene oxide (RGO)-based hydrogel by a simple in situ reduction of GO sheets within the hydrogel matrix. Moreover, noble metal nanoparticle containing RGO based hybrid hydrogels have been obtained using in situ and simultaneous co-reduction of GO and noble metal precursors within the GO gel matrix. The elegance of this method is in situ, "green chemical" and simultaneous reduction of GO and metal salts within the hydrogel matrix to form RGO-based hybrid gel and concomitant stabilization of metal nanoparticles (MNPs) within the gel system. The nascently formed MNPs are homogeneously and uniformly distributed on the surface of the RGO nanosheets within the hybrid gel. Interestingly, this MNP containing RGO-based hybrid hydrogel matrix acts as a potential catalyst for the reduction of aromatic nitro to amino group. The catalyst (hybrid gel matrix) can be separated easily after the reaction and reused several times.

Similar articles

[Graphene oxide-based supramolecular hydrogels for making nanohybrid systems with Au nanoparticles.](#)

Adhikari B, Biswas A, Banerjee A.

Langmuir. 2012 Jan 17;28(2):1460-9. doi: 10.1021/la203498j. Epub 2011 Dec 23.
PMID: 22133019

[Reduced Graphene Oxide-Based Silver Nanoparticle-Containing Composite Hydrogel as Highly Efficient Dye Catalysts for Wastewater Treatment.](#)

Jiao T, Guo H, Zhang Q, Peng Q, Tang Y, Yan X, Li B.

Sci Rep. 2015 Jul 17;5:11873. doi: 10.1038/srep11873.
PMID: 26183266 **Free PMC article.**

[Tailored synthesis of various nanomaterials by using a graphene-oxide-based gel as a nanoreactor and nanohybrid-catalyzed C-C bond formation.](#)

Biswas A, Banerjee A.

Chem Asian J. 2014 Dec;9(12):3451-6. doi: 10.1002/asia.201402695. Epub 2014 Sep 15.
PMID: 25224859

[Graphene Oxide Based Metallic Nanoparticles and their Some Biological and Environmental Application.](#)

Khan AAP, Khan A, Asiri AM, Ashraf GM, Alhoggia BG.

Curr Drug Metab. 2017;18(11):1020-1029. doi: 10.2174/1389200218666171016100507.
PMID: 29034831 **Review.**

[Bio-reduction of Graphene Oxide: Catalytic Applications of \(Reduced\) GO in Organic Synthesis.](#)

Rai VK, Mahata S, Kashyap H, Singh M, Rai A.
Curr Org Synth. 2020;17(3):164-191. doi: 10.2174/1570179417666200115110403.
PMID: 32538718 [Review](#).

[See all similar articles](#)

Cited by

[Fabrication of macroporous reduced graphene oxide composite aerogels reinforced with chitosan for high bilirubin adsorption.](#)

Li Z, Song X, Cui S, Jiao Y, Zhou C.
RSC Adv. 2018 Feb 22;8(15):8338-8348. doi: 10.1039/c8ra00358k. eCollection 2018 Feb 19.
PMID: 35542023 [Free PMC article](#).

[Self-assembly and multifunctionality of peptide organogels: oil spill recovery, dye absorption and synthesis of conducting biomaterials.](#)

Chetia M, Debnath S, Chowdhury S, Chatterjee S.
RSC Adv. 2020 Jan 31;10(9):5220-5233. doi: 10.1039/c9ra10395c. eCollection 2020 Jan 29.
PMID: 35498311 [Free PMC article](#).

[Fabrication of CS/GA/RGO/Pd composite hydrogels for highly efficient catalytic reduction of organic pollutants.](#)

Ge L, Zhang M, Wang R, Li N, Zhang L, Liu S, Jiao T.
RSC Adv. 2020 Apr 16;10(26):15091-15097. doi: 10.1039/d0ra01884h. eCollection 2020 Apr 16.
PMID: 35495471 [Free PMC article](#).

[Antimicrobial Activity of Hybrids Terpolymers Based on Magnetite Hydrogel Nanocomposites.](#)

Farag RK, Labena A, Fakhry SH, Safwat G, Diab A, Atta AM.
Materials (Basel). 2019 Nov 3;12(21):3604. doi: 10.3390/ma12213604.
PMID: 31684135 [Free PMC article](#).

[Impact of Nanoclay on the pH-Responsiveness and Biodegradable Behavior of Biopolymer-Based Nanocomposite Hydrogels.](#)

Vashist A, Ghosal A, Vashist A, Kaushik A, Gupta YK, Nair M, Ahmad S.
Gels. 2019 Oct 16;5(4):44. doi: 10.3390/gels5040044.
PMID: 31623182 [Free PMC article](#).

[See all "Cited by" articles](#)

Publication types

[> Research Support, Non-U.S. Gov't](#)

MeSH terms

[> Ascorbic Acid / chemistry](#)
[> Graphite / chemistry*](#)
[> Hydrogels / chemistry*](#)
[> Metal Nanoparticles / chemistry*](#)
[> Oxides / chemistry](#)
[> Spermidine / chemistry](#)
[> Spermine / chemistry](#)

Substances

[> Hydrogels](#)
[> Oxides](#)
[> Spermine](#)
[> Graphite](#)
[> Ascorbic Acid](#)
[> Spermidine](#)

Related information

[MedGen](#)
[PubChem Compound](#)
[PubChem Compound \(MeSH Keyword\)](#)
[PubChem Substance](#)

LinkOut - more resources

Full Text Sources
[American Chemical Society](#)

Other Literature Sources
[The Lens - Patent Citations](#)

Miscellaneous
[NCI CPTAC Assay Portal](#)

FOLLOW NCBI



Connect with NLM



National Library of Medicine
8600 Rockville Pike
Bethesda, MD 20894

Web Policies
FOIA
HHS Vulnerability
Disclosure

Help
Accessibility
Careers

[NLM](#) | [NIH](#) | [HHS](#) | [USA.gov](#)